

Savin®

2404WD/2406WD
Wide Format

COMPACT >

VERSATILE >

FAST >

SECURE >

PRODUCTIVE >



**Fully featured wide format
digital imaging.**



Wide format flexibility in a single compact unit

When you think of wide format document production, the words “small space” don’t usually come to mind. Until you discover the Savin 2404WD/2406WD wide format systems. Digital imaging technology means you can securely print, copy, scan, distribute and archive with one surprisingly compact unit.

Saving space is great. Saving time is even better. Improve turnaround time when you output documents at a quick 4 or 6 D-size prints-per-minute—a mere fraction of the time it would take a traditional wide format ink jet plotter or analog copier to produce a single document.



The large, backlit, easy-to-read control panel puts extensive capabilities at your fingertips.

Step up to simplicity

For all of their advanced capabilities, the Savin 2404WD/2406WD systems are refreshingly easy to use.

- Produce and distribute documents quickly and easily using the large, backlit control panel with two types of displays—simple and even simpler.
- Handling awkward wide documents is simple with multiple input and output choices.
- Change paper in a snap thanks to the industry’s easiest front-loading paper roll trays and flanges, and optional paper cassettes.
- Increase copy/scan/print productivity by editing documents or stamping them with the dates, page numbers or other data prior to filing or retrieving documents for reprinting.

Put quality close at hand

Why rely on costly, time-consuming outsourcing? The Savin 2404WD/2406WD systems bring high-quality production in house and under your control.

- Produce crisp, clear black & white documents with 600 dpi resolution.
- Create vivid details and fills with 256-grayscale levels.
- Print copies that have the quality of an original. Simply select the type of the original—Text/Photo, Drawing or Special—and the Savin 2404WD/2406WD systems automatically adjust to produce sharp, clear reproductions.

Expand your printing capabilities

The Savin 2404WD/2406WD systems give you the choice of two controller options, so you can configure the system to meet the specific needs of your operation.

Embedded Printer Controller Option

- Maintain a small, single footprint and easily handle the most common file formats with the embedded printer option. This is a simple solution for smaller architectural or engineering firms and workgroups.
- Simply and easily print HP-GL 1/2, TIFF, CALS and PDF file formats, and define print output parameters.
- Combine documents from different applications, and manage, distribute and retrieve documents without having to open specific applications.
- Check toner and paper levels, change print queues, merge jobs, receive e-mail error notifications, and more right from your desktop using the WebImageMonitor utility.
- Web Printing allows job building from a variety of files and directories.
- Print to Document Server to build job sets from prints, copies and scans—remotely or at the system.

External RW-3600 Printer Controller

- Operate with maximum speed, advanced capabilities and the flexibility to print directly from CAD, Windows, Mac, Unix and AS/400 operating systems; the optional RW-3600 controller is an ideal network solution.
- Print a wide variety of advanced file formats including HP-GL, HP-GL2, HP-RTL, TIFF, Calcomp906/907, WMF, BMP, CALS, T6X, CIT, PCX and RLC.
- Scan-to-DWF and output DWF documents with the DWG/DXF/DWF option without having to use AutoCAD.
- Create advanced job submission parameters, including adjusting pen widths and adding stamps.
- Use the optional PLOTBASE and PLOTCLIENT server software to:
 - Print documents up to 49 feet long.
 - Plot drawings directly to the Savin 2404WD/2406WD systems, eliminating the need to print on slow, costly inkjet plotters.
 - Prioritize print jobs automatically from multiple users across your organization.
 - Manage usage by account for unlimited client seats.
 - Offer your clients the convenience of transmitting print jobs from remote locations using the Internet via PLOTCLIENT Web.

Choose the scanning option that's right for you

Dramatically improve productivity and reduce costs with your choice of scanning options.

Embedded Scanner with GW Architecture

- Maintain a small footprint and gain the capability of previewing up to a 12" x 18" image prior to transmission.
- Scan-to-Email: Eliminate postage and overnight delivery costs by scanning documents and instantly e-mailing them anywhere in the world. Access unlimited e-mail addresses directly from your company's address book to simplify the process even further.
- Scan-to-Folder: Save space and time by converting paper copies to electronic files and store them on the hard drive. Designated network users can easily find, retrieve, access, review and update the files.
- Scan-to-FTP: Send large files quickly when you bypass the mail server.
- Scan-to-URL and Scan-to-NCP (Novell protocol): Reduce network congestion with Scan-to-URL and Scan-to-NCP, which e-mails a URL or NCP link to access a document rather than sending an entire file; documents are available for remote Web retrieval 24/7 by authorized users.

Embedded Print Controller




HP-GL 1/2
(GW)

CALS

HP-RTL
TIFF
PDF

Choose the Embedded Print Controller option for fast, easy and direct network printing of the most common file formats.

RW-3600 Controller



The optional external RW-3600 Print Controller supports more extensive file formats.

RW-3600 Controller with Scan Option

Take productivity to a whole new level with the RW-3600 Controller Scan Option which offers advanced capabilities that let you:

- Instantly view full images for quick cleanup or more extensive image editing and merging.
- Add documents to job sets anywhere in any directory with the “drag and drop” feature.
- Capture metadata at the time of scanning for easy lookup and retrieval.
- Scan to DWF, PDF, multi- and single-page in a number of raster file formats.

Store, access and edit with ease

Maximize storage, minimize effort and realize savings with the Savin 2404WD/2406WD systems’ innovative Document Server.

- Quickly and easily store documents on the standard 80 GB hard drive Document Server for up to 180 days. And, instantly access documents, work files and projects in progress from the Savin 2404WD/2406WD systems directly or from your PC.

Put an emphasis on security

Safeguard proprietary company information and maintain client confidentiality with some of the industry’s most robust security enhancements.

- Keep files secure with Windows Authentication, which requires user names and passwords to print specific files.
- Prevent attempts to intercept data during transmission using the data encryption tool.
- Eliminate the possibility of recreating data from the unit’s hard drive with the optional data overwrite feature.

Your Environmental Partner

Savin continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Quick Start-Up (QSU) Technology
- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Toner Recycling
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances Compliant (RoHS)



Space-saving upper output stacker holds up to 50 sheets

Large, brightly lit LCD control panel puts user-friendly functions at your fingertips

Clamshell design for easy, full-front accessibility

Two roll paper holders increase time between paper changes

Optional original hangers for easy handling and scanning of documents

Optional cassette tray holds up to 12" x 18" paper for more output flexibility

Additional 40-sheet lower stacker maximizes output



Embedded Controller

Client PC Drivers (Windows OS)

HDI
RPCS DRIVER
POSTSCRIPT DRIVER
WEB PRINTING




Client PC Drivers (Mac)

HDI
RPCS DRIVER
POSTSCRIPT DRIVER
WEB PRINTING

RW-3600 External Controller

Client PC (Windows OS) with External RW-3600 Printer Controller

PLOTCLIENT PLOTCLIENT WEB
WINPRINT PLOTCLIENT HDI (with AutoCAD)



Client PC/Macintosh OS (AutoCAD Drivers) with External RW-3600 Printer Controller

PLOTCLIENT Mac

Client PC (Bentley Systems Microstation Driver)

RW-3600 Server PC
(Windows 2000, Windows XP or Windows Vista)
PLOTBASE
PLOTCLIENT WEB
RW-3600 SCANTOOL

ENGINE

| | |
|-----------------------|---|
| Configuration | Desktop |
| Copy/Printing Process | Electro-photographic printing |
| Paper Source | 1 or 2 roll paper cassette drawer (optional) Paper cassette tray (optional) |
| Warm-Up Time | Less than 120 Seconds |
| First Copy | 34 seconds (E-Size) |
| Copying Speed | 2406WD: 6 cpm; 3.14 ips (D-Size) 2404WD: 4 cpm; 2.36 ips (D-Size) |
| Resolution | 600 dpi x 600 dpi |
| Grayscale | 256 levels |
| Grayscale Printing | 2 levels |
| Reduction/Enlargement | 18 presets; 25% to 400% by 0.1% increments |
| Multiple Copies | 1 to 99 (ten key input) |
| Cutting Method | Synchronized, preset cut, variable cut |
| Standard Memory | 1 GB (Shared with Copy/Printer/Scanner applications) |
| Standard Hard Drive | 80 GB |
| PC Interface | Standard connection to external PC for RW-3600 controller |
| Original/Copy Size | Maximum: 36" x 590" (49 ft.); Minimum: 8.5" x 8.5"; 36" x 78" bypass |
| Original Exits | Top; Top Rear (curled); Rear |
| Copy Exits | Top: 50 Sheets (Plain Paper D-size LEF) Bottom: 40 Sheets (Plain Paper D-size LEF) |
| Power Source | 120V 15A 60Hz |
| Dimensions (WxDxH) | 42.5" x 25" x 22" |
| Weight | 235 lbs. |

COPIER FEATURES

- Standard Document Server: Store, Copy, Print or Scan Documents
- Drawing Mode (Default), Text Mode, Text/Photo Mode; Other Modes, Photo Mode, Generation Mode, Pasted Original Mode, Background Line Mode
- Auto Paper Selection (APS)
- Cut Sheet Tray (Option)
- Job Program (Up to 10 Jobs)
- Job Interrupt
- Auto Reduce/Enlargement, User Auto Reduce/Enlargement, Preset Reduce/Enlargement, Zoom, Size Magnification, Directional Magnification, Directional Size Magnification, Fine Magnification
- Image Overlay, Format Overlay, Negative/Positive, Mirroring, Double Copy, Combine
- Stamping
- Electronic Sort
- Preset Stamps, User Preset Stamps, Date Stamp, Page Stamp

COPIER OPTIONS

| | |
|---------------------|--|
| Rear Stacker | Up to 20 D-size sheets |
| Paper Cassette Tray | Adjustable up to 12" x 18". Holds up to 250 sheets (17 lb. – 22 lb.) |
| Roll Feeder Table | 1 or 2 roll feeder options; holds rolls 36" x 590" (49") Dimensions (WxDxH): 42" x 28.3" x 27.5" Weight: 154 lbs. (1 roll); 158.7 lbs. (2 rolls) |
| Roll Holders | 2 holders, 36" x 590" (49"); max. roll diameter 6.88" |

www.savin.com

Savin Five Dedrick Place, West Caldwell, NJ 07006

SAVIN® is a registered trademark of Ricoh Americas Corporation. Windows® and Windows® 95/98/Me/NT4.0/2000/XP are registered trademarks of Microsoft Corporation. Macintosh®, Mac® OS and AppleTalk® are registered trademarks of Apple Computer, Inc. Adobe® and PostScript® are registered trademarks of Adobe Systems, Inc. PCL® is a registered trademark of Hewlett-Packard Company. RPCS™ is a trademark of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.

♻️ Printed in U.S.A. on recycled paper. S2555

EMBEDDED PRINTER CONTROLLER (Option)

| | |
|------------------------|--|
| Controller Board | Embedded |
| Print Speed | 2404WD: 4 ppm D-size LEF, 2 ppm E-size SEF 2406WD: 6 ppm D-size LEF, 3 ppm E-size SEF |
| Print Resolution | 600 dpi |
| HDD | 80 GB (Shared with other applications such as Copy/Scanner) |
| Supported Drivers | RPCS, PS3 emulation, HDI |
| Supported File Formats | HP-GL/2, HP-RTL, TIFF, CALS, PDF |
| Network Protocol | TCP/IP, IPX/SPX, AppleTalk |

EMBEDDED PRINTER CONTROLLER FEATURES

- Auto Paper Select
- Roll Select
- Output Tray Select
- Locked Print
- Sample Print
- Border Setting
- Pen Setting
- Language Setting
- On-line Help Menu
- Document Server
- Transparency Mode
- Media Selection
- Limitless Paper Feed
- Multiple Print Sets
- Set X and Y Axis
- Magnification
- Mirror Setting
- Stamp Setting
- Set Up Launcher
- Combine Images
- Remote Print Via Internet
- Data Overwrite Security

EMBEDDED SCANNER (Option)

| | |
|------------------|--|
| Controller Board | Embedded |
| Scan Speed | 2404WD: 4 spm D-size (2.36 ips) 2 spm E-size 2406WD: 6 spm D-size (3.14 ips) 3 spm E-size |
| Scan Resolution | Up to 600 dpi |
| Scanner Features | Scan-to-Email Scan-to-Folder Scan-to-URL Scan-to-NCP TWAIN Scanning TIFF, PDF, JPEG |
| File Formats | |

RW-3600 PRINTER CONTROLLER (Option)

| | |
|------------------------|---|
| PC Server Requirements | |
| Controller Type | External PC Server (PC not included must be purchased separately from appropriate vendor) |
| PC Requirements | |
| Operating System | Windows 2000 Professional SP4, Windows XP Professional SP2 or Window Vista: Business, Enterprise or Ultimate |
| Processor | Recommended: Intel Pentium 4 with 2 GHz or higher 2.0 or higher x 1 with 3.3V or 5V auto adaptive, maximum load 5A |
| PCI Interface Slot | Min. 2 GB for 49' printing/scanning 19.68' or less: Min 1024 MB |
| RAM Memory | 20 GB free space |
| Hard Drive | 10/100Base-T Ethernet, TCP/IP configuration |
| Network Interface | 1024 x 768 (Recommended) TCP/IP, IPX/SPX, lpr/lpq, HTML, SMB (as of Windows 2000) |
| Monitor | 2406WD: 6 ppm @A1/D size (LEF) 3 ppm @A0/E size(SEF) |
| Network Protocol | 2404WD: 4 ppm @A1/D size (LEF) 2 ppm @A0/E size (SEF) |
| Print Controller | Supported file formats: Standard: HP-GL, HP-GL2, HP-RTL, TIFF, DWG, Calcomp906/907, WMF, BMP, CALS (1&2), T6X, CIT, PCX, RLC |
| Unix Support | Redhat Linux 6.x-7.1 HP-UX 10.x/11.x Sun Solaris 2.6/7.x/8.x SCO OpenServer 5.x (up to 5.06) |
| Mac Support | From OS 8.6 – 10.4 |

RW-3600 PRINT CONTROLLER FEATURES

- Auto Paper Select
- Roll Select
- Image Rotation
- Multiple Print Sets
- Sample Print
- Border Setting
- Pen Setting
- Language Setting
- Online Help Menu
- Document Server
- Priority/Account Printing
- Print Queue Management
- Media Selection
- Limitless Paper Feed
- Output Tray Select
- Locked Print
- Magnification
- Mirror Setting
- Stamp Setting
- Set Up Launcher
- Combine Images
- Remote Print Via Internet
- Simultaneous Scanning and Printing

RW-3600 SCANNER (Option)

| | |
|-------------------------------|--|
| Controller Type | External PC Server |
| Maximum Continuous Scan Speed | 2404WD: 6 spm D-size SEF (200 dpi, 1 bit) 2406WD: 6 spm D-size SEF (200 dpi, 1 bit) |
| Resolution | 150 – 600 dpi (1200 dpi with enhancement) |
| Scan Size | 8.26" x 11.6" – 36" x 11.8" 36" x 19.2' with SP setting 36" x 49.2' with SP setting |
| File Format | TIFF (single/multi page, uncompressed/G3/G4), T6X, BMP, RLC, HP-RTL, PCX, CALS1&2 Options: PDF (single/multi page), DWF SCANTOOL software |
| Scanner Software | Same as printer controller spec. |
| Controller Type | 2404WD: 4 spm/A1SEF, D-size SEF (200 dpi, 1 bit) |
| Maximum Continuous Scan Speed | 2406WD: 6 spm/A1SEF, D-size SEF (200 dpi, 1 bit) |
| Resolution | 150 – 600 dpi (1200 dpi with enhancement) |

SCANNER FEATURES

- Contrast Setting
- Reading Area Setting
- Continuous Input
- Mirror
- Invert
- Rotation
- Scan Modes
- Integrated Editor
- Scan-to-Folder
- Scan-to-Email
- Scan-to-FTP
- Scan-to-NCP
- Archiving & Retrieval
- Image Editing
- Change & View
- Add & Cut
- Merge
- Scan-to-Document Management System
- Preview Scans – Full Screen

CONTROLLER OPTIONS

Scan option
DWG/DXF/DWF: Scan to DWF (w/scan option), Print DWG/DXF without AutoCad application
True Adobe PostScript 3
CGM (Computer Graphics Metafile)
VIC

